



119253 DisplayPort 1.4 Cable, 3m

Product Images



Short Description

- DisplayPort Male to Male
- Supports video resolutions up to 8K/60Hz, 4K/120Hz
- Gold Plated Connectors for high signal quality
- Bandwidth up to 32.4Gbps
- Supports HDCP 1.4 and 2.2
- Supports HDR (High Dynamic Range)
- Supports DSC (Display Stream Compression)
- Supports MST (Multi Stream Transport)
- Resolution up to

Data transfer without DSC (display stream compression).

8k: 7680 x 4320 @ 30 Hz.

5k: 5120 × 2880 @ 60 Hz.
4k: 3840 x 2160 @ 144 Hz.
2k: 2560 x 1440 @ 240 Hz.
1080P: 1920 x 1200 @ 240 Hz.

Data transfer with DSC support. (display stream compression).

8k: 7680 x 4320 @ 60 Hz (DSC).
5k: 5120 × 2880 @ 120 Hz (DSC).
4k: 3840 x 2160 @ 240 Hz (DSC).

Description

The equip® DisplayPort Cable is a digital audio and video cable, designed primarily for connections between computer and its display monitor, or a computer and a home-theater system. Intended to replace VGA, DVI and HDMI cables, By supporting a maximum bandwidth of 32.4 Gbps, content up to 8K Ultra HD (7680 x 4320 @ 60 Hz) resolution can be displayed.

Additional Information

Approval and compliance	RoHS
Conductor material	Copper
Connector	Male/Male
Jacket material	PVC
Product weight (kg)	0,172
Product breadth (mm)	7
Product depth (mm)	7
Product height (mm)	3000
Cable length	3m
Color	Black
EAN	4015867223864
Model number	119253
Package contents	119253
Cable Length	3m
Connector-1	DisplayPort, male
Connector-2	DisplayPort, male

